



ATTORNEYS AT LAW

1940 DUKE STREET
ALEXANDRIA, VIRGINIA 22314
USA(703) 413-3000
(703) 413-2220 FACSIMILE

OBLONPAT@OBLON.COM

PATENT, TRADEMARK AND COPYRIGHT LAW
AND RELATED FEDERAL AND ITC LITIGATION

WWW.OBLON.COM

FACSIMILE

PLEASE CALL US AT (703) 413-3000 IF THE MESSAGE YOU RECEIVE IS INCOMPLETE OR NOT LEGIBLE

TO	Hicham Foud	August 26, 2009
	NAME	DATE
	U.S. PTO	571-270-2463
	COMPANY/FIRM	FAX #
	NUMBER OF PAGES INCLUDING COVER: 6	CONFIRM FAX: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
FROM	Pranay Pattani	282723US8X
	NAME	OUR REFERENCE
	(703) 412-4533	10/656,625
	DIRECT PHONE #	YOUR REFERENCE

MESSAGE

Agenda for personal interview scheduled August 27, 2009 at 10:00 AM.

Unless otherwise indicated or obvious from the nature of the transmittal, the information contained in this facsimile message is attorney privileged and confidential information intended for the use of the individual or entity named above. If the reader of this message is not the intended recipient or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error or are not sure whether it is privileged, please immediately notify us by telephone and return the original message to us at the above address via the U.S. Postal Service at our Expense. Thank You.

DOCKET NO: 282723US8X

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF :
FRANK DAWIDOWSKY, ET AL. : EXAMINER: FOUD, H.
SERIAL NO: 10/656,625 :
FILED: SEPTEMBER 4, 2003 : GROUP ART UNIT: 2419
FOR: DYNAMIC BANDWIDTH :
ALLOCATION FOR VARIABLE BIT
RATE STREAMING DATA

INTERVIEW AGENDA

Dear Examiner Foud:

Attached is an agenda for the phone interview scheduled August 27, 2009 at 10:00 am. Should you have any questions prior to the interview, please call me at (703) 412-4533.

Pranay Pattani

**DO NOT ENTER
FOR INTERVIEW PURPOSES ONLY**

Proposed Amendments to the Claims as follows:

1. (Proposed) A method to allocate bandwidth, which method is implemented at a central controller of an ad-hoc network, comprising:

allocating, at the central controller, a predetermined amount of bandwidth to a certain connection requiring a certain quality of service, wherein an owner of said certain connection is a requesting terminal which is a terminal of said ad-hoc network, and the predetermined amount of bandwidth is allocated based on a fixed capacity allocation;

freeing, at the central controller, a certain amount of the allocated predetermined amount of bandwidth as freed bandwidth, said certain amount of freed bandwidth being a difference between the allocated predetermined amount of bandwidth and an indicated *needed amount of bandwidth indicated by said owner*, wherein said indicated needed amount of bandwidth does not exceed said predetermined amount of bandwidth; and

when said *owner indicates a new needed amount of bandwidth* greater than said indicated needed amount, immediately returning as much of the freed bandwidth as required so that said new needed amount of bandwidth is available to said owner.

2. (Proposed-Previously Presented) The method according to claim 1, further comprising:

allocating some or all of said certain amount of freed bandwidth to *a connection without quality or service requirements*, the connection being a connection of the ad-hoc network.

3. (Proposed-Previously Presented) The method according to claim 1,

**DO NOT ENTER
FOR INTERVIEW PURPOSES ONLY**

wherein said requesting terminal is operated by reserving a predetermined amount of bandwidth for providing a certain quality of service for said connection, and said method further comprises:

determining a filling status of a transmit queue which indicates how much sending data is in the transmit queue,

determining a needed amount of bandwidth as bandwidth needed in a next transmission frame, the needed amount of bandwidth depending on the filling status of the transmit queue and not exceeding said predetermined amount of bandwidth, and

indicating said needed amount of bandwidth to said central controller.

**DO NOT ENTER
FOR INTERVIEW PURPOSES ONLY**

POINTS TO DISCUSS

1. As to Claim 1, the terminal (owner) determines and indicates the needed amount of bandwidth to the central controller.

Claim 1 recites in part:

allocating, at the central controller, a predetermined amount of bandwidth to a certain connection requiring a certain quality of service, wherein an owner of said certain connection is a requesting terminal which is a terminal of said ad-hoc network, and the predetermined amount of bandwidth is allocated based on a fixed capacity allocation;

freeing, at the central controller, a certain amount of the allocated predetermined amount of bandwidth as freed bandwidth, said certain amount of freed bandwidth being a difference between the allocated predetermined amount of bandwidth and an indicated *needed amount of bandwidth indicated by said owner*, wherein said indicated needed amount of bandwidth does not exceed said predetermined amount of bandwidth; and

when said *owner indicates a new needed amount of bandwidth* greater than said indicated needed amount, immediately returning as much of the freed bandwidth as required so that said new needed amount of bandwidth is available to said owner.

Therefore, as recited in Claim 1, the needed amount of bandwidth, which is freed at the central controller, is indicated *by the owner* (terminal) of the certain connection to the central controller.

The Office Action acknowledges that Gorsuch fails to disclose the above features.¹ Rather, the Office Action relies Fig. 4B, steps 406 and 408, of Lodha for such teachings.

However, Lodha describes that a scheduler (i.e., a central controller) runs a scheduling algorithm to determine whether or not a first queue has consumed its allocated bandwidth.² If it is determined that the first queue does not consume all of its allocated bandwidth, then the scheduling algorithm identifies a second queue which is permitted to use

¹ See Office Action dated June 11, 2009, page 3.

² See Lodha, Fig. 3 and paragraphs [0019] and [0025]-[0028].

**DO NOT ENTER
FOR INTERVIEW PURPOSES ONLY**

the unconsumed bandwidth of the first queue.³ Further, Lodha describes that the scheduler determines whether or not the second queue is permitted to use the unconsumed bandwidth of the first queue, and if it is determined that the second queue is permitted to do so, the scheduler allows the second queue to forward packets using the unconsumed bandwidth of the first queue.⁴

Therefore, in Lodha, the freeing of a certain amount of freed bandwidth (i.e., the needed amount of bandwidth) at the scheduler is determined and indicated by the scheduler, and *not* by the queues.

2. Discuss inherency in returning freed bandwidth, as asserted by the Office Action on page 4.
3. Claim 2 -- Two classes of connections.
4. Claim 3 -- Determining needed amount of bandwidth carried out in the terminal, and this needed amount of bandwidth is indicated by the terminal to the central controller.

³ See Lodha, Fig. 3 and paragraphs [0019] and [0025]-[0028].

⁴ Id. at paragraph [0028].